SCAN
to watch
the video

BOTTLE TRAPS

WIRQUIN NEO / NEO AIR

BASIN, SINK OR URINAL TRAP.

NO SMELLS.
EASY TO CLEAN.
NO LEAKS.

WIRQUIN NEO & NEO AIR, is a full range for all basin, sink and urinal installations, designed with innovative and patented functions:

Thanks to its overmoulded washers, **WIRQUIN NEO & NEO AIR**, guarantees no leaks, is odourless and easy to clean.

Quick to install thanks to the quick safe function.

WIRQUIN NEO AIR includes an innovative air system function with anti-vac built into the trap.

NO SMELLS | EASY CLEANING | NO LEAKS | 10 YEARS WARRANTY

wirquin

WIRQUIN NEO / NEO AIR

Bathroom renovation or installation of a new basin, sink or urinal, use **WIRQUIN NEO or WIRQUIN NEO AIR, designed with innovative and patented functions, no smells and easy to clean !**

BENEFITS

AIR

*AIR - INTEGRATED VENTAPIPE

The integrated ventapipe in the AIR versions prevent odours, noise and desiphoning in drainage pipes.

EASY AND SAFE INSTALLATION

Ø40 outlet, QUICK SAFE FUNCTION, ¼ turn captive nut guarantees a quick and reliable installation.

NO LEAKS

OVERMOULDED WASHERS with bi-injection technology means that there can be no loss of washers as the washers are always in place! This means total protection against leaks!

EASY CLEANING

Easy to dismantle base ¼ turn opening.

AIR SYSTEM
Integrated Ventapipe

✓**ZERO** *Odours*
✓**ZERO** *Noise*
✓**ZERO** *Syphoning*



QUICK-SAFE
Installation

✓**ZERO** *Leaks*
✓**ZERO** *Hassle*



overmoulded washers

¼ turn removable base

wirquin Innovation

AIR SYSTEM
Integrated Ventapipe



✓ZERO Odours
✓ZERO Noise
✓ZERO Syphoning

WIRQUIN NEO AIR ALLOWS THE PIPES TO BE NATURALLY VENTILATED
When negative pressure is created in the pipes, it sucks all the air and then sucks the water contained in the trap (the depth of seal). A vacuum is created within the piping system. Wirquin NEO Air prevents this suction with the integrated ventapipe.

CARE AND CLEANING

Easy to dismantle base ¼ turn opening.

To protect your trap, do not use cleaning products that contain acid or harsh chemicals in your basin, sink or urinal.

CHARACTERISTICS

a	Overmoulded washer
b	Quarter-turn nut
c	Body trap
d	Quarter-turn base
e	Inlet adaptor 40mm to 32mm
f	Evacuation adaptor 40mm to 50mm
g	Plug + Chain Waste

TECHNICAL CHARACTERISTICS		
	50mm WATER SEAL	80mm WATER SEAL
FLOW rate L/min	57,5 L/min	59,6L /min
DEPTH OF SEAL	50 mm	80 mm
ADJUSTABLE HEIGHT	145>205	175>235
TECHNICAL DIAGRAM:		

WIRQUIN NEO / NEO AIR

DESIGNED FOR QUICK INSTALLATION WITH
NO SMELLS. EASY TO CLEAN. NO LEAKS.

90932401 - 05/2021

Product name	Water Seal	Reference	EAN code	Packaging	Box Qty
WIRQUIN NEO UNIVERSAL BOTTLE TRAP	50mm	30931010	3375539991639	Box	01/06
WIRQUIN NEO AIR UNIVERSAL BOTTLE TRAP	50mm	30931020	3375539991714	Box	01/06
WIRQUIN NEO AIR UNIVERSAL BOTTLE TRAP + PLUG & CHAIN WASTE	50mm	30931031	3375539990458	Box	01/12
WIRQUIN NEO UNIVERSAL BOTTLE TRAP	80mm	30931011	3375539991646	Box	01/06
WIRQUIN NEO AIR UNIVERSAL BOTTLE TRAP	80mm	30931021	3375539991707	Box	01/06
WIRQUIN NEO AIR UNIVERSAL BOTTLE TRAP + PLUG & CHAIN WASTE	80mm	30931030	3375539990441	Box	01/12